



## ESE 404 YS DI

Order No. **121000**

### Main features

Alternator type	synchron
Max. Output 1~ [kVA/kW]	3.9/3.5
Continuous Power 1~ [kVA/kW]	3.3/3.0
Nominal voltage [V]	230
Nominal Current [A]	14,3
Power factor cos (phi)	0,9
Frequency [Hz]	50
Protection Class [IP]	23

### Engine

Engine Type	YANMAR L 70 / 6,7 HP
Design	1-cylinder 4-stroke
Displacement [ccm]	296
Output 3000 rpm	4,1
Fuel	Diesel
Fuel tank capacity [l]	3,5
Running time @ 75% PRP	3,5
Starting system	Recoil starter
Sound power level LWA [db(A)]	101
Sound pressure level LPA (7 m) [db(A)]	76
Weight in kg ca.	54
Dimensions L x W x H [mm]	760 x 538 x 560
Shockproof sockets	2 x 230 V/16 A

This CO<sub>2</sub> measurement results from testing over a fixed test cycle under laboratory conditions a(n) (parent) engine representative of the engine type (engine family) and shall not imply or express any guarantee of the performance of a particular engine'.

### Equipment features

Large side panels protect the engine and alternator  
 Alternator overload protection  
 Does not conform to EU noise guideline 2000/14/EC

Power ratings according to ISO 8528-1: 2005

Technical data and illustrations are not binding. We assume no liability for misprints.

2025-7-29

**ENDRESS Elektrogerätebau GmbH**  
 Neckartenzlinger Str. 39  
 D - 72658 Bempflingen, Germany

Phone.: +49 (0) 7123-9737-0  
 Fax.: +49 (0) 7123-9737-50  
[www.endress-generator.com](http://www.endress-generator.com)



ESE 404 YS DI

Order No. 121000



Possible applications	230V
Electric tools up to	2900W
Gardening or construction equipment up to	2000W
Compressors or pumps up to	1500W
Accessories	Order No.
Wheel kit	<b>161 000</b>

laboratorio-olosuhteissa tehdyssä kiinteässä testisyklissä, eikä se ole tae yksittäisen moottorin suorituskyvystä".

Power ratings according to ISO 8528-1: 2005

Technical data and illustrations are not binding. We assume no liability for misprints.

2025-7-29

ENDRESS Elektrogerätebau GmbH  
Neckartenzlinger Str. 39  
D - 72658 Bempflingen, Germany

Phone.: +49 (0) 7123-9737-0  
Fax.: +49 (0) 7123-9737-50  
[www.endress-generator.com](http://www.endress-generator.com)

